


IG18 Rec'd PCT/PTO 08 JAN 2002

FORM PTO-1390 (REV. 9-2001)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER CU-2801 RJS	
<b>TRANSMITTAL LETTER TO THE UNITED STATES          DESIGNATED/ELECTED OFFICE (DO/EO/US)          CONCERNING A FILING UNDER 35 U.S.C. 371</b>					
INTERNATIONAL APPLICATION NO. PCT/FROO/01967		INTERNATIONAL FILING DATE 07 July 2000		U.S. APPLICATION NO. (If known, see 37 CFR 1.5) <div style="font-size: 1.5em; font-weight: bold;">10/030398</div>	
TITLE OF INVENTION ANATOMIC INTERSOMATIC IMPLANT, AND FORCEPS FOR MANIPULATING SUCH AN IMPLANT					
APPLICANT(S) FOR DO/EO/US Pierre BERNARD et al					
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:					
<ol style="list-style-type: none"> <li>1. <input checked="" type="checkbox"/> This is a <b>FIRST</b> submission of items concerning a filing under 35 U.S.C. 371.</li> <li>2. <input type="checkbox"/> This is a <b>SECOND</b> or <b>SUBSEQUENT</b> submission of items concerning a filing under 35 U.S.C. 371.</li> <li>3. <input checked="" type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below.</li> <li>4. <input checked="" type="checkbox"/> The US has been elected by the expiration of 19 months from the priority date (Article 31).</li> <li>5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2))           <ol style="list-style-type: none"> <li>a. <input type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau).</li> <li>b. <input checked="" type="checkbox"/> has been communicated by the International Bureau.</li> <li>c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US).</li> </ol> </li> <li>6. <input checked="" type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).           <ol style="list-style-type: none"> <li>a. <input checked="" type="checkbox"/> is attached hereto.</li> <li>b. <input type="checkbox"/> has been previously submitted under 35 U.S.C. 154(d)(4).</li> </ol> </li> <li>7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))           <ol style="list-style-type: none"> <li>a. <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau).</li> <li>b. <input type="checkbox"/> have been communicated by the International Bureau.</li> <li>c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired.</li> <li>d. <input checked="" type="checkbox"/> have not been made and will not be made.</li> </ol> </li> <li>8. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)).</li> <li>9. <input type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).</li> <li>10. <input checked="" type="checkbox"/> An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).</li> </ol>					
<b>Items 11 to 20 below concern document(s) or information included:</b>					
<ol style="list-style-type: none"> <li>11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98.</li> <li>12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.</li> <li>13. <input type="checkbox"/> A FIRST preliminary amendment.</li> <li>14. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment.</li> <li>15. <input type="checkbox"/> A substitute specification.</li> <li>16. <input type="checkbox"/> A change of power of attorney and/or address letter.</li> <li>17. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.</li> <li>18. <input type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4).</li> <li>19. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).</li> <li>20. <input checked="" type="checkbox"/> Other items or information:            3 sheets of drawings         </li> </ol>					
Express Mail Label No. <div style="font-size: 1.2em; font-weight: bold;">L 698 183925</div>					

U.S. APPLICATION NO. (if known) <b>10/0303398</b> INTERNATIONAL APPLICATION NO. PCT/FR00/01967		ATTORNEY'S DOCKET NUMBER CU-2801 RJS	
21. <input checked="" type="checkbox"/> The following fees are submitted: <b>BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)):</b> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO ..... <b>\$1040.00</b> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO ..... <b>\$890.00</b> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO ..... <b>\$740.00</b> International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) ..... <b>\$710.00</b> International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) ..... <b>\$100.00</b> <b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b>		<b>CALCULATIONS PTO USE ONLY</b>	
Surcharge of <b>\$130.00</b> for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).		\$ 890.00	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE
Total claims	- 20 =		x \$18.00
Independent claims	- 3 =		x \$84.00
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$280.00
<b>TOTAL OF ABOVE CALCULATIONS =</b>		\$ 890.00	
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.		+	
<b>SUBTOTAL =</b>		\$ 890.00	
Processing fee of <b>\$130.00</b> for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).		\$	
<b>TOTAL NATIONAL FEE =</b>		\$	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). <b>\$40.00</b> per property +		\$	
<b>TOTAL FEES ENCLOSED =</b>		\$ 890.00	
Amount to be refunded:		\$	
charged:		\$	
a. <input checked="" type="checkbox"/> A check in the amount of \$ <u>890.00</u> to cover the above fees is enclosed. b. <input type="checkbox"/> Please charge my Deposit Account No. _____ in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed. c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>12-0400</u> . A duplicate copy of this sheet is enclosed. d. <input type="checkbox"/> Fees are to be charged to a credit card. <b>WARNING:</b> Information on this form may become public. <b>Credit card</b> <b>information should not be included on this form.</b> Provide credit card information and authorization on PTO-2038.			
<b>NOTE:</b> Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.			
SEND ALL CORRESPONDENCE TO: Ladas & Parry 224 South Michigan Avenue Chicago, Illinois 60604 (312) 427-1300 Customer Number 26530			
 SIGNATURE		Richard J. Streit NAME 25765 REGISTRATION NUMBER January 8, 2002	

3/pv 1

AN ANATOMIC INTERSOMATIC IMPLANT, AND FORCEPS FOR  
MANIPULATING SUCH AN IMPLANT

**TECHNICAL FIELD**

5       The present invention relates to an intersomatic implant for insertion into the disk space defined between two adjacent vertebrae, in order to restore an appropriate height between the vertebrae and in order to allow bone fusion to take place between said adjacent vertebrae.

10       More precisely, the invention provides an intersomatic implant of the cervical type, for insertion into the disk space defined between two adjacent cervical vertebrae.

**PRIOR ART**

15       In the state of the art, it is known to insert an intersomatic implant into the disk space between defined between two adjacent cervical vertebrae. Numerous embodiments of such intersomatic implants are proposed in the prior art. For example, a known cervical intersomatic implant is in the form of a cage comprising two sagittal walls interconnected by a anterior transverse wall and by a posterior transverse wall. Between them, the walls define an open volume for receiving a  
20       bone-filler substance for encouraging bone fusion between the two vertebrae.

      In general, it can be assumed that inserting an implant of the above-described type into the disk space between two adjacent vertebrae is liable to lead to the vertebrae being incorrectly positioned relative to each other. This means that it is not possible to obtain good bone reconstitution between the vertebrae concerned.

25       The invention thus seeks to remedy the above-specified drawbacks by proposing an intersomatic implant adapted to comply better with the anatomy of the spinal column.

**SUMMARY OF THE INVENTION**

30       To achieve such an object, the intersomatic implant is designed to be inserted into the disk space defined between two adjacent vertebrae, namely an overlying vertebra and an underlying vertebra, for the purpose of reestablishing the anatomic space between the vertebrae, the implant being in the form of a cage that is generally in the shape of a rectangular block having at least two sagittal walls substantially  
35       parallel to a sagittal plane and interconnected at least by an anterior transverse wall and by a posterior transverse wall extending substantially parallel to a frontal plane, the walls defining between them an open volume for bone filler and presenting rims

extending on one surface to define a first transverse face and on the opposite surface to define a second transverse face.

According to the invention, the implant comprises:

- a first transverse face presenting in the sagittal plane a convex profile congruent with the sagittal anatomic profile of an overlying vertebra; and
- a second transverse face presenting in the frontal plane a convex profile congruent with the frontal anatomic profile of an overlying vertebra.

The invention also seeks to provide an instrument for manipulating such a cage, enabling the drawbacks of known manipulation instruments to be remedied. It is known to provide two holes in the anterior wall of a cage so as to enable two fingers presented by a manipulation instrument to be engaged therein. Unfortunately, while the instrument is manipulating the cage, there is a risk of the cage becoming separated from the instrument, and of it becoming impossible to withdraw the implant after it has been put into place.

Another object of the invention is thus to provide an instrument for manipulating a cage in the general sense, regardless of whether it is cervical and/or lumbar, and adapted to hold the implant safely and reliably while it is being put into place or repositioned.

To achieve such an object, the manipulation instrument of the invention is a forceps for an implant in the form of a cage generally in the shape of a rectangular block comprising at least two sagittal walls substantially parallel to a sagittal plane and interconnected at least by an anterior transverse wall and by a posterior transverse wall substantially parallel to a frontal plane, the cage being provided with two housings extending substantially facing each other in a frontal direction substantially perpendicularly to the sagittal plane of the cage, the forceps having two branches movable relative to each other and each provided with an insert-engaging jaw.

According to the invention, each jaw is provided with a radial stud extending in line with the other radial stud and suitable for being moved towards the other so as to be engaged in a respective housing formed in the implant.

Various other characteristics appear from the following description with reference to the accompanying drawings which show embodiments and implementations of the invention as non-limiting examples.

## BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a perspective view of an embodiment of an implant in accordance with the invention.

Figure 2 is a front view of an implant seen substantially along arrows  $f_2$  of Figure 1.

Figure 3 is a sagittal view of an implant seen substantially along arrow  $f_3$  of Figure 1.

5 Figure 4 is a plan view of a forceps for manipulating an implant in accordance with the invention.

Figures 5 and 6 are views on a larger scale respectively from above and from the side showing the implant-engaging jaws of the forceps shown in Figure 4.

10 Figure 7 is a perspective view showing an intersomatic implant supported by a manipulation forceps in accordance with the invention.

### BEST METHOD OF IMPLEMENTING THE INVENTION

As can be seen more precisely in Figures 1 to 3, an intersomatic implant in accordance with the invention is in the form of a cage 1 which is generally in the form of a rectangular block and is designed to be inserted in the disk space between two adjacent vertebrae, e.g. cervical vertebrae. The cage 1 has a first sagittal wall 2 and a second sagittal wall 3 extending substantially parallel to each other and to a "sagittal" or "antero-posterior" plane S. The sagittal walls 2 and 3 are interconnected by an "anterior" transverse wall 4 and by a "posterior" transverse wall 5 extending parallel to each other and to a frontal plane F extending perpendicularly to the sagittal plane S.

20 It should be observed that the cage 1 can have one or more intermediate or mid walls extending substantially parallel to the sagittal and/or transverse walls. Preferably, connecting fillets 6 are provided between the sagittal walls and the transverse walls firstly along their internal vertical faces and secondly along their external vertical faces so as to provide a cage 1 having rounded corners on its external and internal vertical faces. For example, the walls 2 to 5 present substantially the same thickness. Similarly, the height of the anterior transverse wall 4 is greater than the height of the posterior transverse wall 5 (Figure 3).

Internally, the cage 1 presents a volume 7 defined by the vertical inside faces of the walls 2 to 5 and designed to be filled with a bone-filler substance for promoting intersomatic fusion. In the example shown, this volume 7 opens out into a first transverse face 8 that is on top and into a second transverse face 9 that is at the bottom. The walls 2 to 5 present, on one surface, rims 10 defining the top transverse face 8, and on the opposite surface, rims 10' defining the bottom transverse face 9.

35 The cage 1 has protuberances or projections 11 formed on the rims 10 and 10' of the walls 2 to 5 so as to enable the cage to bite into the underlying and overlying vertebrae. In the preferred example shown, the protuberances 11 are constituted by

ridges extending parallel to one another and to the frontal plane F. Naturally, the protuberances can be of different shapes and could be implemented, for example, in the form of individual spikes or by ridges forming chevrons. In general, it should be understood that the top and bottom transverse faces 8 and 9 correspond to the envelope containing the tips of the protuberances 11.

According to a characteristic of the invention which is shown more clearly in Figure 3, the top transverse face 8 has a convex profile C<sub>g</sub> in the sagittal plane S which is congruent with or complementary to the sagittal anatomic profile of an adjacent or overlying vertebra in the example shown. It should be understood that the rims 10 of the walls and more precisely the protuberances 11 defining said top transverse face 8 are arranged to be inscribed in an envelope whose section in the sagittal plane S is rounded or convex in shape.

In a preferred embodiment, the top transverse face 8 is defined in the frontal plane F by a straight or rectilinear profile C'<sub>g</sub> (Figure 2). The rims 10 of the walls 2 to 5 defining the top transverse face 8 are preferably arranged to be connected to the outside faces of the walls 2 to 5 via connecting fillets 12.

According to another characteristic of the invention which can be seen more clearly in Figure 2, the bottom transverse face 9 presents a convex profile C<sub>g</sub> in the frontal plane F, which profile is congruent with or complementary to the frontal anatomic profile of an adjacent or underlying vertebra in the example shown. The rims 10' of the walls 2 to 5, and more precisely the protuberances 11 defining said transverse face 9 are arranged to be inscribed in an envelope whose section in the plane S is of rounded shape.

Furthermore, it should be observed that the bottom transverse face 9 presents a profile C'<sub>g</sub> in the sagittal plane that is substantially straight.

Advantageously, the above-described cage 1 is adapted to receive at least one, and in the example shown two, radio-opaque markers 13 incorporated over at least a portion of the height of the cage in the anterior and posterior transverse walls 4 and 5.

The above-described cage 1 is particularly adapted to enable it to be manipulated by manipulation forceps 15 of the kind shown in Figures 4 to 7, the forceps having two branches 16 each provided at one end with an insert 17.

The cage 1 has two housings 20 extending in line with each other and each adapted to receive a radial stud 21 formed on each of the jaws 17 of the forceps. In the example shown, the housings 20 are formed in the sagittal walls 2 and 3, being in alignment and extending in a frontal direction perpendicular to the sagittal plane S. The housings 20 are preferably located close to the anterior transverse wall 4. In the

example shown, each housing 20 opens out into the two opposite vertical faces of the walls 2 and 3. Naturally, the housings 20 could be provided in the anterior transverse wall 4 extending in a frontal direction perpendicular to the sagittal plane S. In this embodiment, it can be observed that the two housings 20 can be directly in communication with each other so as to constitute a single bore. The transverse right section of each housing 20 is adapted to receive a radial stud 21, and, for example, is substantially elliptical in the example shown.

In a preferred embodiment, the cage 1 includes antirotation means 23 for co-operating with complementary means 24 provided on the jaws 17 of the manipulation forceps so as to prevent relative rotation between the cage 1 and the forceps 15 when the forceps are engaging the insert. In the example shown, these antirotation means 23 are constituted by a groove formed in each sagittal wall 2, 3 to open out into a corresponding housing 20 and extending therefrom to the outside face of the anterior transverse walls 4. As shown more particularly in Figure 3, each groove 23 is substantially rectangular in right cross-section.

As can be seen more clearly in Figures 4 to 6, each insert-engaging jaw 17 is arranged to present complementary antirotation means 24 in the form of an arm or a bar having a free end carrying a radial stud 21 lying substantially in alignment with the other radial stud. Each arm 24 is of cross-section complementary to that of the groove 23 and is designed to be engaged at least in part in the groove 23 formed in a sagittal wall when each of the studs 21 is engaged in a complementary housing 20. According to a preferred characteristic of the invention, when the studs 21 are engaged in the housings 20 (Figure 7), the outside faces of the jaws 17, i.e. the arms 24, extend substantially in line with the outside faces of the sagittal walls 2 and 3 so as to limit the approach path required for installing the cage.

Engaging the studs 21 in the housings 20 ensures that the cage is held securely and prevented from moving in translation, and the co-operation between the arms 24 and the grooves 23 prevents the cage from moving in rotation, in particular in frontal direction. This ensures that the cage is completely prevented from moving relative to the jaws 17. It should be observed that the antirotation means 23, 24 can be implemented in a different manner. For example, the housings 20 can be prismatic in shape for co-operating with studs of complementary shape.

According to a preferred characteristic, each jaw 17 is provided with a stop abutment 27 for coming into contact with the external face of the anterior transverse wall 4 of the cage when the studs 21 are engaged in the housings 20 so as to transmit forces that are exerted axially on the forceps. As can be seen more precisely in Figure 4 to 6, each stop abutment 27 extends radially substantially parallel to the

adjacent stud 21 which is connected to the stop abutment 27 via the locking arm 24. Each stop abutment 27 is preferably arranged on the jaw 17 so as to come into contact with the external face of the anterior wall of the cage substantially in line with the sagittal walls 2 and 3. Such a disposition provides the advantage of enabling pressure forces exerted on the end 30 of the forceps where the branches 16 join to be transmitted in such a manner as to facilitate insertion of the cage between the vertebrae. The branches 16 of the forceps are preferably made so as to be resilient and urge the jaws 17 permanently towards each other. In this respect, moving the branches 16 towards each other causes the jaws 17 to move apart because the branches cross over, whereas releasing the branches 16 automatically causes the jaws 17 to move towards each other.

#### SUSCEPTIBILITY OF INDUSTRIAL APPLICATION

The above-described cage 1 is particularly adapted to complying with the disk space defined between two vertebrae, e.g. cervical vertebrae. Complying with the anatomy of the intervertebral disk that is replaced by the cage 1 serves to encourage bone fusion between the vertebrae and to restore the static configuration of the spine. Furthermore, the cage 1 is made particularly simple to put into place by using the manipulation forceps 15 of the invention. Thus, from an anterior approach path to the cervical spine, resection is performed on the osteophytes, the disk is removed, and then the plane faces of the vertebrae are revived. Thereafter, a cage 1 can be taken hold of by the forceps 15 by acting on the branches 16 to move the jaws 17 apart, then positioning the studs 21 in the housings 20, and then by acting on the branches so that the jaws 17 move towards each other, causing the studs 21 to penetrate into the housings 20 and causing the arms 24 to penetrate into the grooves 23. It should be observed that the grooves 23 are capable of providing a guidance function for the studs 21 which are thus brought up to the housings for insertion purposes. In this position, the cage 1 is held completely securely relative to the forceps by the studs 21 being engaged in the housings 20 and by the arms 24 being engaged in the grooves 23, and also by the abutments 27 coming into contact against the anterior transverse wall 4. The cage 1 can be inserted into the disk space, with it being possible to apply thrust force to the end 30 of the forceps, should that be necessary. Pressing the branches 16 together to move the jaws 17 apart enables the studs 21 to be disengaged from the housings 20 so as to allow the forceps to be withdrawn.

The invention is not limited to the examples described and shown since numerous modifications can be made thereto without going beyond the ambit of the invention.



# CLAIMS

- 1/ An intersomatic implant designed to be inserted in the disk space defined between two adjacent vertebrae, namely an overlying vertebra and an underlying vertebra, for the purpose of reestablishing the anatomic space between the vertebrae, the implant  
5 being in the form of a cage (1) that is generally in the shape of a rectangular block having at least two sagittal walls (2, 3) substantially parallel to a sagittal plane (S) and interconnected at least by an anterior transverse wall (4) and by a posterior transverse wall (5) extending substantially parallel to a frontal plane (F), the walls (2 to 5) defining between them an open volume (7) for bone filler and presenting rims (10,  
10') extending on one surface to define a first transverse face (8) and on the opposite  
10 surface to define a second transverse face (9),  
the implant being characterized in that:
  - the first transverse face (8) presents in the sagittal plane a convex profile (C<sub>8</sub>) congruent with the sagittal anatomic profile of an overlying vertebra;
  - 15 · the second transverse face presents in the frontal plane a convex profile (C<sub>9</sub>) congruent with the frontal anatomic profile of an overlying vertebra; and
  - the profile (C<sub>8</sub>, C<sub>9</sub>) of each transverse face (8, 9) is defined by protuberances (11) formed on the rims (10, 10') of the sagittal and frontal walls.
- 20 2/ An implant according to claim 1, characterized in that the rims (10, 10') of the sagittal and frontal walls carry protuberances (11) forming ridges extending parallel to one another and to the frontal plane (F).
- 3/ An implant according to claim 1 or claim 2, characterized in that it has at least one  
25 radio-opaque marker (13) extending over at least a portion of the height of a wall.
- 4/ An implant according to any one of claims 1 to 3, characterized in that it has two housings (20) for receiving the jaws (17) of a manipulation forceps, the housings extending substantially facing each other in a frontal direction perpendicular to the  
30 sagittal plane (S) of the cage.
- 5/ An implant according to claim 4, characterized in that each housing (20) opens out at least to the external face of one of the sagittal walls (2, 3).
- 35 6/ An implant according to claim 4 or claim 5, characterized in that the walls are arranged to include antirotation means (23) for co-operating with complementary means (24) arranged on the jaws (17) of the manipulation forceps so that, when the

cage is engaged by the forceps, the cage is prevented from moving relative to the forceps.

5 7/ An implant according to claim 6, characterized in that each housing (20) opens to the sagittal walls (2, 3) in a respective groove (23) extending to the external face of the anterior wall so as to constitute the antirotation means and so as to enable the jaws of a manipulation forceps to be inserted.

10 8/ Manipulation forceps for an implant according to any one of claims 1 to 7, the implant being in the form of a cage (1) that is generally in the shape of a rectangular block comprising at least two sagittal walls (2, 3) substantially parallel to a sagittal plane (S) and interconnected at least by an anterior transverse wall (4) and by a posterior transverse wall (5) substantially parallel to a frontal plane (S), the cage being provided with two housings (20) extending substantially facing each other in a  
15 frontal direction (F) substantially perpendicularly to the sagittal plane of the cage, the forceps having two branches (16) movable relative to each other and each provided with an insert-engaging jaw,

the forceps being characterized in that each jaw (17) is provided with a radial stud (21) extending in line with the other radial stud and suitable for being moved  
20 towards the other stud so as to be engaged in a respective housing (20) formed in the implant.

9/ Manipulation forceps according to claim 8, characterized in that the jaws (17) are arranged to present antirotation means (24) complementary to means (23) provided on  
25 the cage so as to enable the cage to be prevented from moving relative to the forceps.

10/ Manipulation forceps according to claim 9, characterized in that each jaw (17) includes, as its complementary antirotation means (24), an arm which is provided at its end with a radial stud (21) and which is designed to be engaged, at least in part, in  
30 a groove (23) formed in a sagittal wall and extending from the housing (20) to the external face of the anterior wall (4).

11/ Manipulation forceps according to any one of claims 8 to 10, characterized in that each jaw (17) is provided with a stop abutment (27) for coming into contact against  
35 the external face of the anterior transverse wall (4) of the cage when the studs (21) are engaged in the housings (20) so as to transmit forces exerted on the forceps.

12/ Manipulation forceps according to claim 11, characterized in that each stop abutment (27) is arranged on a jaw (17) so as to come into contact with the external face of the anterior transverse wall (4) of the cage substantially in line with the sagittal walls (2, 3).

5

13/ Manipulation forceps according to claim 8, characterized in that the jaws (17) are urged towards each other by the branches (16).

## A B S T R A C T

AN ANATOMIC INTERSOMATIC IMPLANT, AND FORCEPS FOR  
MANIPULATING SUCH AN IMPLANT

5

The invention relates to an intersomatic implant designed to be inserted in the disk space defined between two adjacent vertebrae, namely an overlying vertebra and an underlying vertebra, for the purpose of reestablishing the anatomic space between the vertebrae, the implant being in the form of a cage (1) that is generally in the shape of a rectangular block having at least two sagittal walls (2, 3) interconnected at least by an anterior transverse wall (4) and by a posterior transverse wall (5), the walls (2 to 5) presenting rims (10) extending on one surface to define a first transverse face (8) and on the other side to define a second transverse face (9).

According to the invention, the implant comprises:

- a first transverse face (8) presenting in the sagittal plane a convex profile congruent with the sagittal anatomic profile of an overlying vertebra; and
- a second transverse face presenting in the frontal plane a convex profile congruent with the frontal anatomic profile of an overlying vertebra.

20

25

Translation of the title and the abstract as they were when originally filed by the Applicant. No account has been taken of any changes that may have been made subsequently by the PCT Authorities acting ex officio, e.g. under PCT Rule 27.2, 38.2, and/or 48.3.

30




FIG.1




FIG.2




FIG.3




FIG. 4





FIG. 6

FIG.7



L 693135199

PATENT

Docket:

---

**COMBINED DECLARATION AND POWER OF ATTORNEY**

(ORIGINAL, DESIGN, NATIONAL STAGE OF PCT, SUPPLEMENTAL, DIVISIONAL,  
CONTINUATION OR CIP)

---

As a below named inventor, I hereby declare that:

**TYPE OF DECLARATION**

This declaration is of the following type: (check one applicable item below)

- ☐ original  
☐ design  
☐ supplemental

Note: If the Declaration is for an International Application being filed as a divisional, continuation or continuation-in-part application, do not check next item; check appropriate one of last three items.

- ☒ national stage of PCT

Note: If one of the following 3 items apply, then complete and also attach ADDED PAGES FOR DIVISIONAL, CONTINUATION OR CIP.

- ☐ divisional  
☐ continuation  
☐ continuation-in-part (CIP)

**INVENTORSHIP IDENTIFICATION**

**WARNING:** If the inventors are each not the inventors of all the claims, an explanation of the facts, including the ownership of all the claims at the time the last claimed invention was made, should be submitted.

My residence, post office address and citizenship are as stated below, next to my name. I believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter that is claimed, and for which a patent is sought on the invention entitled:

**TITLE OF INVENTION**

AN ANATOMIC INTERSOMATIC IMPLANT, AND FORCEPS FOR  
MANIPULATING SUCH AN IMPLANT

---

PB



### SPECIFICATION IDENTIFICATION

the specification of which: (complete (a), (b) or (c))

- ☐ (a) is attached hereto.
- ☒ (b) was filed on JANUARY 8, 2002 as ☐ Serial No. 10/030 398 or  
☐ Express Mail No. (as Serial No. not yet known) \_\_\_\_\_  
 and was amended on \_\_\_\_\_ (if applicable).

*Note: Amendments filed after the original papers are deposited with the PTO that contain new matter are not accorded a filing date by being referred to in the Declaration. Accordingly, the amendments involved are those filed with the application papers or, in the case of a supplemental Declaration, are those amendments claiming matter not encompassed in the original statement of invention or claims. See 37 CFR 1.67.*

- ☒ (c) was described and claimed in PCT International Application No. PCT/FR00/01967  
 filed on 07 July 2000 and as amended under PCT Article 19 on \_\_\_\_\_  
 (if any).

### ACKNOWLEDGEMENT OF REVIEW OF PAPERS AND DUTY OF CANDOR

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information, which is material to patentability as defined in 37, Code of Federal Regulations, § 1.56,

(also check the following items, if desired)

- ☐ and which is material to the examination of this application, namely, information where there is a substantial likelihood that a reasonable Examiner would consider it important in deciding whether to allow the application to issue as a patent, and
- ☐ in compliance with this duty, there is attached an information disclosure statement, in accordance with 37 CFR 1.98.

### PRIORITY CLAIM (35 U.S.C. § 119(a)-(d))

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed.

PB

(complete (d) or (e))

☐ (d) no such applications have been filed.

☒ (e) such applications have been filed as follows.

Note: Where item (c) is entered above and the international application which designated the U.S. itself claimed priority check item (e), enter the details below and make the priority claim.

**PRIOR FOREIGN/PCT APPLICATION(S) FILED WITHIN 12 MONTHS  
(6 MONTHS FOR DESIGN) PRIOR TO THIS APPLICATION  
AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. § 119(a)-(d)**

COUNTRY (OR INDICATE IF PCT)	APPLICATION NUMBER	DATE OF FILING (day/month/year)	PRIORITY CLAIMED UNDER 35 USC 119
FRANCE	99 09 122	9 JULY 1999	<input checked="" type="checkbox"/> YES NO <input type="checkbox"/>
			<input type="checkbox"/> YES NO <input type="checkbox"/>

**CLAIM FOR BENEFIT OF PRIOR U.S. PROVISIONAL APPLICATION(S)  
(35 U.S.C. § 119(e))**

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

PROVISIONAL APPLICATION NUMBER	FILING DATE

**ALL FOREIGN APPLICATION(S), IF ANY, FILED MORE THAN 12 MONTHS  
(6 MONTHS FOR DESIGN) PRIOR TO THIS U.S. APPLICATION**

Note: If the application filed more than 12 months from the filing date of this application is a PCT filing forming the basis for this application entering the United States as (1) the national stage or (2) a continuation, divisional, or continuation-in-part, then also complete ADDED PAGES TO COMBINED DECLARATION AND POWER OF ATTORNEY FOR DIVISIONAL, CONTINUATION OR CIP APPLICATION for benefit of the prior U.S. or PCT application(s) under 35 U.S.C. § 120.

98

### POWER OF ATTORNEY

I hereby appoint the following practitioner(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number).

Thomas F. Peterson, 24790; Richard J. Streit, 25765; Donald P. Reynolds, 26220; W. Dennis Drehkoff, 27193; Vangelis Economou, 32341; Brian W. Hameder, 45613; Valeria Neymayer-Tynkov, 46956; Paul B. West, 18947; Joseph H. Handelman, 26179; Peter D. Galloway 27885; John Richards, 31503; Iain C. Baillie, 24090; Richard P. Berg, 28145

☐ Attached, as part of this declaration and power of attorney, is the authorization of the above-named practitioner(s) to accept and follow instructions from my representative(s).

#### SEND CORRESPONDENCE TO:

Richard J. Streit  
c/o Ladas & Parry  
224 South Michigan Avenue  
Suite 1200  
Chicago, Illinois 60604

#### DIRECT TELEPHONE CALLS TO:

(Name and telephone number)

(312) 427-1300

### DECLARATION

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

### SIGNATURE(S)

Note: Carefully indicate the family (or last) name, as it should appear on the filing receipt and all other documents.

#### Full name of sole or first inventor

Pierre

(Given Name)

M.

(Middle Initial or Name)

BERNARD

(Family (or Last) Name)

Inventor's signature

Date Aug. 3, 2002

Country of Citizenship

FRANCE

Residence

176 rue Georges Mandel - 33000 BORDEAUX (FRANCE)

Post Office Address

176 rue Georges Mandel - 33000 BORDEAUX (FRANCE)

Full name of second joint inventor, if any

Vincent

(Given Name)

(Middle Initial or Name)

POINTILLART

(Family (or Last) Name)

Inventor's signature POINTILLART Vincent [Signature]Date 11 Sept 2002Country of Citizenship FRANCEResidence 146 rue Naujac - 33000 BORDEAUX (FRANCE)Post Office Address 146 rue Naujac - 33000 BORDEAUX (FRANCE)

Full name of third joint inventor, if any

(Given Name)

(Middle Initial or Name)

(Family (or Last) Name)

Inventor's signature \_\_\_\_\_

Date \_\_\_\_\_ Country of Citizenship \_\_\_\_\_

Residence \_\_\_\_\_

Post Office Address \_\_\_\_\_

Full name of fourth joint inventor, if any

(Given Name)

(Middle Initial or Name)

(Family (or Last) Name)

Inventor's signature \_\_\_\_\_

Date \_\_\_\_\_ Country of Citizenship \_\_\_\_\_

Residence \_\_\_\_\_

Post Office Address \_\_\_\_\_

Full name of fifth joint inventor, if any

(Given Name)

(Middle Initial or Name)

(Family (or Last) Name)

Inventor's signature \_\_\_\_\_

Date \_\_\_\_\_ Country of Citizenship \_\_\_\_\_

Residence \_\_\_\_\_

Post Office Address \_\_\_\_\_